


Crochet Chevron Trim with added beads


by A.B.McKenna UK terms.



This pattern for chevron trim can be made without beads but I have included a detailed step by step process of adding beads into the trim. NOTE: the beads must be threaded onto the yarn **BEFORE YOU START**. I used a 2mm hook and 4ply PATONS cotton, beads with a hole large enough to thread onto the yarn. The trim is worked in rows and at the end of the row the work is turned. **The beads are added in the middle of the final treble stitch of the row.** After the first 'yarn over' of the treble, it is at this point that the bead is pushed along the yarn to the hook. **DON'T add beads on row 1.**

Row One: Begin with 4 chain stitches. Into the 4th chain from the hook do 3 trebles, 1 chain then 1 treble stitch. Do 4 chain. **TURN** the work.

Row Two: (Keep repeating **this row** until the trim is the length you want). Into the one chain space from the row below, do 3 treble stitches, 1 chain, 1 treble stitch **ADD BEAD DURING THIS STITCH (after the first yo.)**





(2) the 4 ch and 3 treble stitches are done



(3) 1 chain has been done after the third treble. The bead is ready to be added.



(4) The bead is added in the middle of the final treble stitch of the row. Yarn over...



(5) Insert hook into the chain space below...



(6) Slide the bead right up close to the hook, then yarn over...



(7) Pull the loop up through the space below. Help the bead to come to the front of the work.




(8) Yarn over...




(9) Pull the yarn through two loops on the hook...



(10) Yarn over for the final time...



(11) Pull yarn through remaining two loops on the hook...



<http://6ichthusfish.typepad.com> my blog with free pattern downloads (left sidebar).